Cordless Universal Grinder Chameleon CX

ROKAMAT easy working

NO. 26000



- Cordless grinding, wallpaper stripping, smoothing, cleaning, polishing all with one machine
- ▶ Light weight due to separation of tool and motor
- ▶ ROKAMAT is partner of **CAS**: *One* battery for over 40 brands
- Smooth operation thanks to contra-rotating tool discs
- ▶ Large operating surface (2x Ø 200 mm)
- Continuous speed control to optimise each different application
- Dust-free working in combination with our special vacuum cleaners

Technical Data

| No load speed | 120 – 400 r.p.m. |
|----------------------------|---|
| Battery voltage / capacity | 18 V / 5.2 Ah (Li-Ion) |
| Weight | Handtool approx. 2.4 kg Total approx. 4.9 kg |

Scope of supply

2 Battery packs 18 V / 5.2 Ah, Fast battery charger ASC 145, Supporting plates Ø 200 mm, Emery grain 16 (4 pcs.), strap, in case

















Accessories Chameleon CX Ø 200 mm

| Cleaning | Unit | No. | Fig. |
|--------------------------------|------|-------|------|
| Steel brushes, fine | 2 | 21200 | - |
| Steel brushes, medium | 2 | 21300 | 1 |
| Steel brushes, coarse | 2 | 21400 | - |
| Special steel brushes, medium | 2 | 23000 | - |
| Special steel brushes, coarse* | 2 | 23100 | - |
| Nylon brushes, superfine | 2 | 21505 | - |
| Nylon brushes, fine | 2 | 21500 | - |
| Nylon brushes, coarse | 2 | 21600 | 2 |
| Steel / nylon brushes | 2 | 22500 | - |
| | | | |

- Cleaning and waxing formwork units
- Removing old, loose plaster, render and paint
- Cleaning and preparing plaster for new coverings
- Cleaning exterior facades of moss and algae
- *Perfect for removing ivy from facades

Cleaning and polishing

| All pads to use with the | | | | | | |
|-----------------------------|------|-------|------|--|--|--|
| supporting plates No. 20700 | Unit | No. | Fig. | | | |
| Cleaning pad, coarse | 2 | 23500 | _ | | | |
| Cleaning pad, medium | 2 | 23400 | 3 | | | |
| Cleaning pad, fine | 2 | 23900 | - | | | |
| Polishing pad, very fine | 2 | 23300 | - | | | |
| Lambskin pad, superfine | 2 | 23600 | 4 | | | |

Cleaning formwork, exposed concrete, buildings and facades, polishing "marble effect" or parquet.

| Scratching | Unit | No. | Fig. |
|-----------------------------|------|-------|------|
| Scratching discs "longlife" | 2 | 20100 | 5 |

· For scratching sgraffito. Large working surface ensures both safe and flat working with the nailplates (use with guide rails no. 22210 recommended).

| Smoothing | Unit | No. | Fig. |
|--------------------------|------|-------|------|
| Smoothing attachments* | 2 | 21700 | 6 |
| *to use with Base plates | 2 | 25000 | _ |

Smoothing plates for abrading render and plaster after setting (Use with Guide Rails (item no. 22210) recommended).

| For aggressive grinding | Unit | No. | Fig. |
|------------------------------|------|-------|------|
| Metal abrasive discs, fine | 2 | 22405 | - |
| Metal abrasive discs, medium | 2 | 23205 | 7 |
| Metal abrasive discs, coarse | 2 | 22905 | - |

· For grinding timber, brick, screed, carpet residue, fibreglass, gas concrete and many other materials.

| Supporting plates | Unit | No. | Fig. |
|-------------------------------|------|-------|------|
| Supporting plates with velcro | 2 | 20700 | 8 |

 \cdot For mounting sanding discs, grinding grids, metal abrasive discs, cleaning and polishing pads.



Cleaning formwork units



Removing old paint



Aggressive grinding with metal abrasive discs







| Unit | No. | Fig. |
|------|-------|------|
| 2 | 22700 | 1 |


Ø 200 mm

· For flattening concrete easily and quickly. To be used before the material has taken final set (sprayed concrete).

| Flattening plates with trowel blades | 2 | 22600 | 2 |
|--------------------------------------|---|-------|---|
|--------------------------------------|---|-------|---|

· For hard trowelling (e. g. wet concrete inside silos)









| NEW! Shaving discs with changeable blade system | 2 | 22360 | 4 |
|---|----------|---------|---|
| NEW! Blades set for changeable blade system (6 pcs.) | Set | 22365 | - |
| For removing wallpaper, for cleaning shuttering or for othe | r shavin | ig work | |
| Guide rails | 2 | 22210 | 5 |





· Please use in combination with Perforating and Shaving discs





- Surface grinding: Polystyrene insulating boards or other thermal insulating systems (EIFS and ETICS), taped board joints, plaster background (1st layer of the render), roughening up polystyrene surfaces
- Removing adhesive residues (carpets)
- Cleaning shuttering pans

| JÖST Superpads | Unit | No. | Fig. |
|------------------------|------|-------|------|
| Jöst Superpad grit 40 | 6 | 28040 | _ |
| Jöst Superpad grit 60 | 6 | 28060 | - |
| Jöst Superpad grit 80 | 6 | 28080 | 7 |
| Jöst Superpad grit 120 | 6 | 28012 | _ |
| Jöst Superpad grit 180 | 6 | 28018 | _ |
| Jöst Superpad grit 220 | 6 | 28022 | _ |

[·] Thanks to unique full-surface perforations and patented Velcro-type system on the rear side of the sanding medium allows: . permanent full-surface dust extraction, no clogging (keeps contact and removal at the optimum), a higher sanding capacity (up to 4 times more compared to conventional sanding media) and shorter sanding time and more effective working.



Grinding plaster




Removing wallpaper



Cleaning facades









Accessories Chameleon CX

| Grinding grids | Unit | No. | Fig. |
|-------------------|------|-------|------|
| Grinding grit 80 | 4 | 27080 | 1 |
| Grinding grit 100 | 6 | 27010 | - |
| Grinding grit 120 | 6 | 27012 | - |
| Grinding grit 180 | 6 | 27018 | - |
| Grinding grit 220 | 6 | 27022 | _ |

 Unique full-surface perforations and patented Velcro-type system allows full-surface dust extraction (no clogging), higher sanding capacity and shorter sanding time.

| Battery pack + battery charger | Unit | No. | Fig. |
|--|------|-------|------|
| Battery pack Li-Ion 18 V / 5.2 Ah | 1 | 08050 | 2 |
| Fast battery charger ASC 145 | 1 | 08065 | - |
| Premium package battery: Fast battery charger ASC 145 + Battery pack 18 V / 5.2 Ah (Li-lon) | 1 | 08066 | - |
| Optional accessory | Unit | No. | Fig. |



Ø 200 mm

Grinding EIFS and ETICS boards




Shoulder strap

Rokamat is partner of CAS (Cordless Alliance System).

More than 40 manufacturers have joined forces to make machines, battery packs and chargers 100% compatible.

The result: All machines work with *one* **CAS** battery. This not only saves time, but also money. It also protects the environment.

Further informations on www.cordless-alliance-system.com.



05100

ROKAMATKammerer GmbH www.rokamat.com



Distributor: